# Monitoring Council Portals: Subcommittee Report

Kris Jones

# Item Goals:

- 1) Discuss feedback and lessons learned for the MyWaterQuality Portals
- Develop actionable recommendations—to bring back to the Council on February 23

## Statement of Issue:

- The Council has considered its path forward since the Triennial Audit (2014)
- Despite evaluating overall "lessons learned", little attention has been spent on the Council's portals and how they could be improved.

## Background

#### MOU between CalEPA and CNRA

- "implement a public information program on water quality that includes a website with information on water quality monitoring, assessment, research, standards, regulation, enforcement and other pertinent matters."
- Monitoring Council's Strategy and Portal Development
  - The central theme of each portal should be expressed as a *broad question*
  - Each portal should inform a wide range of audiences
  - Utilize a question-driven user interface
  - *Focus questions on topics of interest* to agency decision makers, legislators, and the public.
  - Portal home page and throughout the portal—emphasize maps and graphic representations of data and assessments

### General Feedback

- Reconsider emphasis on question driven navigation
- Portals do not need to have a common look and feel—as long as the Council is branded consistently
- Update portal names and improve searchability
- Modify My Water Quality Homepage to highlight connections between portals and content.
- Allow more flexibility in audience; e.g., shift emphasis towards agency decision makers

### **Recommended Actions**

### 1. Re-evaluate existing portals

<u>Proposed Action</u>: Council staff will form new subcommittee focused on coordinated portal improvements (meet quarterly, to start).

### 2. Develop updated guidance for workgroups

<u>Proposed Action</u>: after Council and subcommittee input (Action 1), staff will develop additional recommendations (by May 30) and updated guidance material for workgroups (by September 5).