# OEHHA's Perspective: BOG



# Monitoring Council



## Overview

- Office of Environmental Health Hazard Assessment
- Issue fish consumption advisories/safe eating guidelines
- Relation to "Safe to Eat" question
- How we do advisories
- Why we work with SWAMP/BOG
- BOG/OEHHA/Monitoring Council



# Role in "Safe to Eat" Question

- Answer question directly
  - Issue specific consumption guidelines
  - Other general information on seafood safety
- Some monitoring
  - 1987 SoCal fish contaminant study
  - 1997 reservoir study
- Aggregate & evaluate data
- Provide meaning to results
- Communicate an answer



#### Water Bodies with Safe Eating Guidelines for Fish Consumption Office of Environmental Health Hazard Assessment



# Developing Advisories Requires Coordinating Monitoring

- No statewide program focused on sampling for human health evaluations
- Interact with samplers
  - SWRCB, Regional Boards, USEPA, NOAA, USGS, UC researchers, Regional Monitoring Programs, CALFED studies, FERC studies, DTSC, RPs
- Guide collection applicable data
  - Locations, fish, sample size, chemicals analyzed, methods, etc.



### **OEHHA Evaluation Tools**

- Advisory Tissue Levels
  - Step in OEHHA's advisory protocol
  - Balance risk and benefit
- Fish Contaminant Goals
  - Criteria like
  - Potential for inter-agency use
- Potential for public confusion when used to over-interpret results



### OEHHA & SWAMP/BOG

- Most active & extensive current monitoring of bioaccumulation in fish
- Interested in questions related to fish consumption and safety
- Opportunity for coordination/guidance
- History of working with Water Boards



# **BOG & Monitoring Council**

- BOG is a qualified expert group
- Add relevant organizations
- Others need a reason to work on portal
  - Potential loss of control of message
  - Potential for portal to over-reach presentation
  - Web products ≠ evaluation
  - More web sites ≠ efficiency
- Beyond portal
  - Coordination of monitoring

